Wiki

July 7, 2016

Kang Hae-won, Lyndsey Twining Cultural Informatics, Academy of Korean Studies



Before we start...



What is Wiki?



Start Wiki

	문서 토론	▲ 125.132.153.101 익명 사용자와 토론 계정 만들기 ▲ 로그인 읽기 원본 보기 역사 보기 검색 Q
인문정보학 Wiki	대문	
₩iki 대문 최근 바뀜 임의 문서로 도움말 ▼ 도구 여기를 가리키는 문서 가리키는 글의 바뀜 특수 문서 정보 고유 링크 문서 정보 ▼ 인쇄/내보내기 적 만들기 PDF로 다운로드 인쇄용 판	목차 [숨기기] 1 2016 Hanmun Workshop 1.1 2016 Hanmun: 2016 AKS Hanmun Workshop 2 인문정보학 강좌 2.1 인문정보학 입문: 2016-1 건국대학교 문화콘텐츠학과 2.2 인문지식위키: 2016-1 한국의대 지식콘텐츠학과 2.3 문화유산 디지털 콘텐츠 개발: 2016-1 한국학중앙연구원 인문정보학전공 2.4 전자문서와 하이퍼텍스트: 2016-1 한국학중앙연구원 인문정보학전공 2.5 기억발전소 특강 2.6 민족기록화 소개 2.7 조선 후기 보양청 상견례 참여자 복식 고증 시각화 3 문화유산 안내판 영문 해설문 3.1 정주시 문화유산 안내판 영문 해설문 4.1 한국학중앙연구원 대학원 2016 봄 학술답사 4.2 한국학중앙연구원 인문정보학과 2015 가을 학술답사	계정 만들기 (Create Account)
	2016 Hanmun Workshop	
	2016 Hanmun: 2016 AKS Hanmun Workshop 인문정보학 강좌	www.kadhlab102.com
	인문정보학 입문: 2016-1 건국대학교 문화콘텐츠학과	
	인문지식위키: 2016-1 한국외대 지식콘텐츠학과	
	문화유산 디지털 콘텐츠 개발: 2016-1 한국학중앙연구원 인문정보학전공	
	전자문서와 하이퍼텍스트: 2016-1 한국학중앙연구원 인문정보학전공	
	기억발전소 특강	
	민족기록화 소개	
	조선 후기 보양청 상견례 참여자 복식 고증 시각화	

Create Account



Wiki Markup

- A markup language used to write pages at wiki-based websites
- Also known as wikitext language, wiki code, wiki syntax
- Converted by wiki software into HTML, to create a wiki document
- Simple and easy
- Provides an easier way of hyperlinking to other pages

https://en.wikipedia.org/wiki/Help:Editing

https://en.wikipedia.org/wiki/Help:Wiki_markup

Create a New Wiki Document

	문서 토론
인문정보학 Wiki	2016 Hanmun Workshop
대문 최근 바뀜 임의 문서로 도움말	목차 [숨기기] 1 2016 Hanmun Workshop at Jangseogak Archives 1.1 지도교수 1.2 수강생 2 교재
 도구 여기를 가리키는 문서 가리키는 글의 바뀜 파일 올리기 	3 참고자료 2016 Hanmun Workshop at Jangseogak Archives [편집]
녹수 문서 족복 고유 링크 문서 정보	· 종재윤
▼ 인쇄/내보내기 책 만들기 PDF로 다운로드 인쇄용 판	수강생 [편집] • Gehlmann Martin • Kang Hyeokhweon
	Lee Sook Pyo Lethbridge Orion Liu Lidan Östberg Sigfrid
	Woolley Nathan Ben Yoo Jamie Jungmin Search for an existing document
	<u> </u>

Download: Old Documents Joseon Sources 4

7 71 0

• Click the red link

Text Formatting



Description	What you type	What it looks like
italics, bold	To ''italicize text'', put two consecutive apostrophes on each side of it. Three apostrophes each side will '''bold the text'''. Five consecutive apostrophes on each side (two for italics plus three for bold) produces '''''bold italics'''''. '''''Italic and bold formatting''''' only works correctly within a single line.	To <i>italicize text</i> , put two consecutive apostrophes on each side of it. Three apostrophes each side will bold the text . Five consecutive apostrophes on each side (two for italics plus three for bold) produces <i>bold italics</i> . <i>Italic and bold formatting</i> only works correctly within a single line.

• Font color - text

red writing \rightarrow red writing

Sections

Markup	Renders as
<pre>Heading 1 = == Heading 2 == === Heading 3 === ==== Heading 4 ==== ==== Heading 5 ===== ===== Heading 6 ======</pre>	Heading 1 Heading 2 Heading 3 Heading 4 Heading 5
	Heading 6

- Four or more headings
 - \rightarrow a table of contents generated automatically

Line Breaks

Markup	Renders as
A single newline here has no effect on the layout.	A single newline here has no effect on the layout.
But an empty line starts a new paragraph, or ends a list or an indented part.	But an empty line starts a new paragraph, or ends a list or an indented part.

• For a line break, press "< Enter" twice or use HTML tag

ex. Markup: Wiki markups are easy to learn
 and easy to apply.

Renders as: Wiki markups are easy to learn

and easy to apply.

• Except when using list markup.

Indentation

Markup	Renders as
<pre>Indentation as used on talk pages:</pre>	Indentation as used on talk pages:
:Each colon at the start of a line	Each colon at the start of a line
::causes the line to be indented by three more character positions.	causes the line to be indented by three more character positions.
:::(The indentation persists	(The indentation persists
so long as no carriage return or line break is used.)	so long as no carriage return or line break is used.)
:::Repeat the indentation at any line break.	Repeat the indentation at any line break.
:::Use an extra colon for each response.	Use an extra colon for each response.
::::And so forth	And so forth
:::::And so forth	And so on
{{Outdent :::::}}The outdent template can give a visual indicator that	The outdent template can give a visual indicator that we're deliberately
we're deliberately cancelling the indent (6 levels here)	cancelling the indent (6 levels here)

•

Lists

Unordered lists

Markup	Renders as
<pre>* item1 * item2 * item3 * item4 ** Sub-item 4 a) *** Sub-item 4 a) 1. **** Sub-item 4 a) 1. i) **** Sub-item 4 a) 1. ii) *** Sub-item 4 b) * item5</pre>	 Item1 Item2 Item3 Item4 Sub-item 4 a) Sub-item 4 a) 1. Sub-item 4 a) 1. i) Sub-item 4 a) 1. ii) Sub-item 4 b) Item5

* or #

Ordered lists

Markup	Renders as
<pre># Item1 # Item2 # Item3 # Item4 ## Sub-item 1 ### Sub-sub-item #### Sub-sub-sub-item #### Sub-item 2 # Item5</pre>	1. Item1 2. Item2 3. Item3 4. Item4 1. Sub-item 1 1. Sub-sub-item 2. Sub-item 2 5. Item5

Internal Links

[[]]

Markup	Renders as
London has [[public transport]].	London has public transport.
Link to this article: "[[Help:Wiki markup]]" will appear only as bold text.	Link to this article: "Help:Wiki markup" will appear only as bold text.

• renamed link

What you type	What it looks like
New York also has [[public transport public transportation]].	New York also has public transportation.

 \rightarrow [[title of target page | text to be displayed]]

External Links



Description	What you type	What it looks like
Named link with an external link icon	[http://www.wikipedia.org Wikipedia]	Wikipedia 🗗
Unnamed link (Only used within article body for footnotes)	[http://www.wikipedia.org]	[1]&
<i>Bare URL (Bad style)</i> use <nowiki></nowiki> to keep this bad style from showing	http://www.wikipedia.org	http://www.wikipedia.org &
Link without arrow (Not often used)	<pre>[http://www.wikipedia.org Wikipedia] </pre>	Wikipedia

Images

[[File:]]

• Upload image file first!

What you type	Note	What it looks like
[[File:wiki.png]]	A picture	WIKIPEDIA The Free Encyclopedia
[[File:wiki.png frame Wikepedia logo]] [[File:wiki.png thumb Wikepedia logo]]	A picture with a caption floating to the right side of the page * Frame – full size thumb – default size (220px)	Wikipedia logo
[[File:wiki.png right]] [[File:wiki.png left]]	A picture without a caption floating to the right/left side of the page	
[[File:wiki.png 50px]]	A picture resized to 50 pixels	WIKIPEDIA Tan hor tangagash

Gallery <gallery> </gallery>

What you type			What	it look	s like		
<gallery> File:B0985_yuma.jpg 극락전 유마거사상 File:B0985_3.jpg 극락전 불좌상 File:B0985_5.jpg 극락전 보살좌상 File:B0985_7.jpg 극락전 불입상 File:B0985_2.jpg 용화보전 불입상 File:B0985_4.jpg 용화보전 불입상 File:B0985_6.jpg 용화보전 불입상 </gallery>	7월 러리 (8월) 	्र न्दर्श्त इम्र	स्वर्थ मध्यम्	२ २१ हु दुस	문화도전 불일상(역사품 도 주정)	중치보전 불인상(비르자 나 또는 미록불로 추정)	emat sor

- With <gallery> tag, no need to use [[]]
- Make a caption with a vertical bar

Table

{	Table start	It is required.
+	Table caption	It is optional. Only between table start and first table row
!	Table header cell	It is optional. Cells may start on new lines, each beginning with its own single mark. Cell contents may also be put on the next line.
!!	Consecutive table header cell	It is optional. Cells may be added on same lines separated by double marks.
-	Table row	It is optional on the first row, but otherwise required. The wiki engine assumes the first row.
I	Table data cell	It is required for data cells on new lines. Cells may start on new lines, each beginning with its own single mark. Cell contents may also be put on the next line. It is also used to separate HTML attributes from cell contents (both data or header), or caption contents.
I	Consecutive table data cell	It is required for data cells on the same line. Cells may be added on same lines separated by double marks.
}	Table end	It is required.

Table

{| |}

What you type	What it looks like		
{ class="wikitable" style="text-align:center" ! 주어 관계 목적어			
-	주어	관계	목적어
강혜원 은 -에 산다. 시습재	강혜 <mark>원</mark>	은 -에 산다.	시습재
-	강혜원	은 -와 <mark>친하다</mark> .	서소리
강혜원 은 -와 친하다. [[서소리]]	모기	는 -를 좋아한다.	강혜원
- 모기 는 -를 좋아한다. 강혜원 }			

Footnotes

<ref> </ref>

Markup	Renders as
This is page content. <ref>''LibreOffice For Starters'', First Edition, Flexible Minds, Manchester, 2002, p. 18</ref>	This is page content. ^[1]
==References==	References
<references></references>	1. ^ LibreOffice For Starters, First Edition, Flexible Minds, Manchester, 2002, p. 18

- <ref>citation or note</ref>
- Reference list can be generated by <references/>

Categorization [[Category:]]

- Provides navigational links to the wiki documents
- Users can browse and find sets of related pages quickly
- Automatically generates a list of pages in the same category
- Example

Practice

• Make your self-introduction page